

ERGONOMIC HAZARD CONTROL MODELING FOR INFORMAL WELDING WORKERS IN GREATER BANDUNG: A STUDY ON MUSCULOSKELETAL DISORDERS (MSDs)

By Suherdin Suherdin



ERGONOMIC HAZARD CONTROL MODELING FOR INFORMAL WELDING WORKERS IN GREATER BANDUNG: A STUDY ON MUSCULOSKELETAL DISORDERS (MSDs)

³⁵ Suherdin^{1*}, Supriyatni Kartadarma²

^{1,2}Jurusan Kesehatan Masyarakat, Fakultas Ilmu Kesehatan, Universitas Bhakti Kencana
Soekarno-Hatta Street No. 754, Cipadung Kidul, Panyileukan District, Bandung City, Indonesia

Correspondence Author: suherdin@bku.ac.id

ARTICLE INFO

Article History:

Received : September 30, 2024

Accepted : December 12, 2024

Published: March 4, 2025

DOI:

²
<https://doi.org/10.26553/jikm.2024.16.1.17-30>

Available online at

²
<http://ejournal.fkm.unsri.ac.id/index.php/jikm>

ABSTRACT

⁹ Ergonomic hazards are one of the causes of health problems in workers, including causing Musculoskeletal Disorders (MSDs) complaints. MSDs in workers affect physical fitness, reduce working days/hours, and ultimately are unable to work. WHO states that around 1.71 billion people have musculoskeletal conditions worldwide. MSDs complaints in Indonesia are a separate focus, research on MSDs complaints in the informal sector shows that 66% of workers experience MSDs complaints. One industry that has a high risk of MSDs is welding. ¹⁰ The purpose of this study was to create an ergonomic hazard control model for informal welding ²³ or workers in Greater Bandung. The research approach is quantitative, the type of ¹⁰ analytical observational research with a cross-sectional design ³⁸. The study population was informal welding sector workers in Greater Bandung, sample was taken using a purposive sampling technique, and the total number ² samples in this study was 100 workers. The analysis used in this study was the chi-square test to see the ⁴⁷ relationship between variables. Modeling in this study will use binary logistic regression. ² The results of the study showed that working climate, working posture, workload, and physical fitness simultaneously influenced MSDs complaints of informal welding workers (p-value < 0.05). Based on these findings, the control of MSDs complaints can be achieved by effectively managing work climate, working posture, workload, and physical fitness.

Keywords: welding, ergonomics, musculoskeletal disorders, working posture

Introduction

Decent work is a critical aspect of achieving the Sustainable Development Goals (SDGs), emphasizing the right of all workers to health and safety guarantees in their work activities. This aligns with other SDGs targets, particularly ensuring healthy and prosperous lives.¹ However, not all employment sectors currently receive adequate Occupational Health and Safety (OHS) protection, with informal sector workers being particularly underserved. According to data from the Central Statistics Agency (*Badan Pusat Statistik* or BPS) in 2023, informal sector workers dominate the national workforce, comprising approximately 59.11%, compared to 40.89% in the formal sector. Similarly, in West Java, 54.61% of workers are in the informal sector, while in Bandung City, at least 40.95% of the workforce in 2023 was classified as informal.²

One of the informal industries with K3 risks is the informal welding industry, in general, the welding process begins with the preparation stage of selecting materials, cutting, welding, and finishing.³ Each stage of welding has health risks, including ergonomic risks. Ergonomic risk factors that commonly occur during the welding process are prolonged static work postures.^{4,5} Welding workers have a high ergonomic risk, and cause complaints in the upper neck and lower back, waist, wrists, and shoulders, other complaints include muscle pain in the right groin and left groin, ankles, and lower back pain because workers often do welding work in a squatting and bending position.^{6,7} Some of these complaints are known as Musculoskeletal Disorders (MSDs). MSDs in workers will affect physical fitness, reduce working days/hours, cause serious illnesses, and ultimately make them unable to work.^{8,9}

The World Health Organization (WHO) states that approximately 1.71 billion people worldwide have musculoskeletal conditions, making these conditions the leading cause of disability globally.¹⁰ According to 2020 data from the Bureau of Labor Statistics (BLS), there were 247,620 reported cases of musculoskeletal disorders or injuries in the United States that resulted in days away from work.¹¹ Similarly, the latest statistics from the Health and Safety Executive (HSE) indicate that in the United Kingdom (UK) during 2020/21, around 470,000 workers reported work-related musculoskeletal disorders (MSDs). MSDs accounted for 28% of all work-related illnesses in the UK during this period, with total health costs exceeding £16 billion.¹² In Indonesia, MSDs are also a significant focus. A study on MSDs complaints in the informal sector revealed the following distribution of complaint categories: Low (6.7%), Medium (23.3%), High (66%), and Very High (3.3%). Another study found that 53.4% of workers experienced severe MSDs complaints due to non-ergonomic work postures.¹³

Ergonomic risk factors contributing to MSDs can be assessed using the WHO Healthy Workplace Model, which links hazards to specific conditions in the work environment. Several risk factors for MSDs complaints are categorized into environmental factors, work factors, and individual factors.¹⁴ Previous research has identified strong correlations between MSDs complaints

and environmental factors such as lighting, noise, work climate, and work posture.¹⁵ Individual factors, including smoking habits, Body Mass Index (BMI), and physical fitness, also play significant roles.¹⁸ Efforts to control hazards in the work environment must follow established guidelines. According to the Minister of Manpower Regulation No. 5 of 2018, the control hierarchy should be based on work activities and the results of hazard identification.¹⁶⁻¹⁸ In a preliminary study conducted in the informal welding industry in Bandung City, ergonomic risks were observed in nearly all stages of work, with risk levels classified as high.¹⁹ The findings underscore the presence of multiple factors contributing to MSDs risks among informal welding workers, emphasizing the need for targeted interventions to address these risks effectively.²⁰

Currently, research on ergonomic hazards is still focused on risk factors for MSDs complaints. Several previous studies have not been able to explain the control model and control hierarchy design based on the routine activities of informal sector workers, while the formal sector is only limited to several industries such as hospitals.^{21,22} This study aims to model control efforts and design a control hierarchy based on routine activities to reduce the number of Occupational Diseases (*Penyakit Akibat Kerja* or PAK) MSDs in informal welding sector workers.

Methods

This study employed a quantitative approach with an analytical observational design and a cross-sectional method.²¹ The population consisted of informal welding sector workers in Greater Bandung, including Bandung City, West Bandung Regency, Bandung Regency, and Cimahi City. Purposive sampling was used to select respondents based on inclusion criteria, namely workers who had been employed in the informal welding sector for at least five years and were involved in all work stages, from the preparation of tools and materials to finishing. Part-time workers were excluded based on the study's exclusion criteria. The selection of welding locations was based on inclusion criteria: workers who had been employed in the welding sector for at least five years, were involved in all work stages from the preparation of tools and materials to finishing, and were not part-time workers. The 100 respondents were distributed among 44 welding locations in Greater Bandung, consisting of 26 kiosks in Bandung City, 9 kiosks in Bandung Regency, 5 kiosks in West Bandung Regency, and 4 kiosks in Cimahi City.

Data collection focused on several aspects. Musculoskeletal Disorder (MSDs) complaints were measured using the Nordic Body Map (NBM) questionnaire, workers are categorized as having low MSD complaints if the score is < 46, and high MSD complaints if the score is ≥ 46.³³ Individual factors such as age, length of service, smoking habits, BMI, and physical fitness were also assessed. Work factors included work posture, which was evaluated using the Rapid Entire Body Assessment (REBA) tool, categorized as awkward (score ≥10) or normal (score <10). Workload was assessed using the Physical Workload Questionnaire (PWQ), and length of work

was measured through a questionnaire. Work environment factors were measured using specialized instruments: noise with a sound level meter, work climate with a heat stress monitor, vibration with a vibration meter, and lighting with a lux meter. Interviews were also conducted to gather additional information on routine work activities.

Data analysis was conducted in three stages. Univariate analysis described the frequency distribution of all variables, both independent and dependent, using percentage values. Bivariate analysis employed the chi-square test (χ^2) to explore the relationships between variables. Multivariate analysis was performed using binary logistic regression to develop the ergonomic risk control model. Independent variables with p-values <0.25 in the simple logistic regression were included as candidates for the multiple logistic regression. The ergonomic risk control model was derived from the final binary logistic regression equation. This study received ethical approval from the ethics committee with protocol number 223/09.KEPK/UBK/IX/2024.

37
Results

Table 1 shows the results of the univariate analysis of each variable were as follows:

Table 1. Frequency Distribution of Work Environment Factors, Job Factors, Individual Factors, and MSDs Complaints in Informal Welding Industry Workers in Greater Bandung

Variables	Category	Frequency (n=100)	Percentage (%)
Noise	Above TLV	81	81.0
	Below TLV	19	19.0
Working climate	Above TLV	53	53.0
	Below TLV	47	47.0
Vibration	Above TLV	54	54.0
	Below TLV	46	46.0
Lighting	Does not meet the required	11	11.0
	Meets the required	89	89.0
Working Posture	Awkward	68	68.0
	Normal	32	32.0
Workload	High	64	64.0
	Low	36	36.0
Length of Work	Risky	32	32.0
	Not Risky	68	68.0
Age	≥ 40 Year	55	55.0
	< 40 Year	45	45.0
Working Period	≤ 5 Year	26	26.0
	> 5 Year	74	74.0
Smoking Habits	Smoking	32	32.0
	No Smoking	68	68.0
BMI	Obesity	14	14.0
	Fat	12	12.0
	Normal	70	70.0
Physical Fitness	Thin	4	4.0
	Not Fit	32	32.0
MSDs Complaints	Fit	68	68.0
	High	75	75.0
	Low	25	25.0

Based on Table 1, the results indicate that a significant majority of workers (81%) are exposed to disturbances exceeding the Threshold Limit Value (TLV). More than half of the workers (53%) are exposed to a work climate above the TLV, 54% are exposed to vibrations above the TLV, and 11% work in lighting conditions that do not meet standards. The findings also reveal that 68% of workers perform their tasks with awkward working postures, 65% have a high physical workload, and 68% have a working period classified as not at risk of MSDs complaints. In terms of individual characteristics, the majority of workers (68%) are aged ≥ 40 years, 74% have long working periods, 68% do not smoke, and 70% have a normal BMI. Regarding musculoskeletal complaints, 75% of welding workers experience high MSDs complaints, as measured using the Nordic Body Map (NBM) tool. The NBM identifies 28 specific body points where complaints may occur. The measurement results indicate that 75 informal welding workers report high MSDs complaints.

Table 2. Relationship between Work Environment Factors and MSDs Complaints in Informal Welding Industry Workers in Greater Bandung

Work Environment Factors	MSDs Complaints				Total		p-value	PR 95% CI (Lower-Upper)
	High		Low		n	%		
	n	%	n	%				
Noise								
Above TLV	64	79.0	17	21.0	81	100	0.077	1.365 (0.915-2.035)
Below TLV	11	57.9	8	42.1	19	100		
Working climate								
Above TLV	47	88.7	6	11.3	53	100	0.002	1.489 (1.154-1.920)
Below TLV	28	59.6	19	40.4	47	100		
Vibration								
Above TLV	41	75.9	13	24.1	54	100	1.000	1.027 (0.818-1.290)
Below TLV	34	73.9	12	26.1	46	100		
Lighting								
Does not meet the required	10	90.9	1	9.1	11	100	0.283	1.245 (0.993-1.560)
Meets the required	65	73.0	24	27.0	89	100		

Based on Table 2, the results show that almost all workers (79%) exposed to noise levels above the TLV experience high MSDs complaints. However, the chi-square test results indicate a p-value of 0.077 (>0.05), suggesting no significant relationship between noise exposure and MSDs complaints. The analysis reveals that 88.7% of workers exposed to a work climate above the TLV experience high MSDs complaints. The chi-square test results show a p-value of 0.002 (<0.05), indicating a significant relationship between work climate and MSDs complaints. Furthermore, the Prevalence Ratio (PR) calculation of 1.489 (95% CI: 1.154–1.920) suggests that workers exposed to a work climate above the TLV are 1.489 times more likely to experience high MSDs complaints compared to those not exposed.

Additionally, 75.9% of workers exposed to vibration levels above the TLV report high MSDs complaints. However, the chi-square test results yield a p-value of 1.000 (>0.05), indicating no significant relationship between vibration exposure and MSDs complaints. Finally, 90.9% of

workers operating under lighting conditions that do not meet standards report high MSDs complaints. Despite this, the chi-square test results show a p-value of 0.283 (>0.05), suggesting no significant relationship between inadequate lighting and MSDs complaints.

Table 3. Relationship between Work Factors and MSDs Complaints in Informal Welding Industry Workers in Greater Bandung

Job Factors	MSDs Complaints				Total		p-value	PR 95% CI (Lower-Upper)
	High		Low		n	%		
	n	%	n	%				
Work Posture								
Awkward	58	85.3	10	14.7	68	100	0,001	1.606 (1.143-2.256)
Normal	17	53.1	15	46.9	32	100		
Workload								
High	58	90.6	6	9.4	64	100	<0.001	1.919 (1.347-2.736)
Low	17	47.2	19	52.8	36	100		
Length of Work								
Risky	27	84.4	5	15.6	32	100	0.216	1.195 (0.965-1.480)
Not Risky	48	70.6	20	29.4	68	100		

Based on Table 3, the results show that a significant majority (85.3%) of workers who perform tasks with awkward postures experience high MSDs complaints. The chi-square test results indicate a p-value of 0.001 (<0.05), demonstrating a significant relationship between work posture and MSDs complaints. Furthermore, the Prevalence Ratio (PR) calculation of 1.606 (95% CI: 1.143–2.256) suggests that workers with awkward postures are 1.606 times more likely to experience high MSDs complaints compared to those with normal postures. Additionally, 90.6% of workers with a high workload report high MSDs complaints. The chi-square test results yield a p-value of <0.001 , indicating a significant relationship between workload and MSDs complaints. The PR calculation of 1.919 (95% CI: 1.347–2.736) suggests that workers with a high workload are 1.919 times more likely to experience high MSDs complaints compared to those with a moderate or low workload. Contrast, 84.4% of workers with a long work period are reported to have high MSDs complaints. However, the chi-square test results show a p-value of 0.216 (>0.05), indicating no significant relationship between the length of work period and MSDs complaints.

Based on Table 4, the results show that the majority (78.2%) of workers aged ≥ 40 years report high MSDs complaints. However, the chi-square test results yield a p-value of 0.562 (>0.05), indicating no significant relationship between age and MSDs complaints. Similarly, 84.6% of workers with new work experience get high MSDs complaints. The chi-square test results show a p-value of 0.292 (>0.05), suggesting no significant relationship between work experience and MSDs complaints. Additionally, 75.9% of workers with a smoking habit report high MSDs complaints. The chi-square test results yield a p-value of 0.759 (>0.05), indicating no significant relationship between smoking habits and MSDs complaints. In terms of BMI, 71.4% of workers classified as obese report high MSDs complaints. However, the chi-square test results indicate a p-value of 0.595 (>0.05), demonstrating no significant relationship between BMI and MSDs

complaints. Conversely, 90.6% of workers categorized as physically unfit report high MSDs complaints. The chi-square test results yield a p-value of <0.001, indicating a significant relationship between physical fitness and MSDs complaints. The Prevalence Ratio (PR) calculation of 1.919 (95% CI: 1.347–2.735) suggests that physically unfit workers are 1.919 times more likely to experience high MSDs complaints compared to their physically fit counterparts.

Table 4. Relationship between Individual Factors and MSDs Complaints in Informal Welding Industry Workers in Greater Bandung

Individual Factors	MSDs Complaints				Total		p-value	PR 95% CI (Lower-Upper)
	High		Low		n	%		
	n	%	n	%				
Age								
≥ 40 Year	43	78.2	12	21.8	55	100	0.562	1.099 (0.871-1.388)
< 40 Year	32	71.1	13	28.9	45	100		
Working Period								
≤ 5 Year	22	84.6	4	15.4	26	100	0.292	1.181 (0.950-1.469)
> 5 Year	53	71.6	21	28.4	74	100		
Smoking Habits								
Smoking	63	75.9	20	24.1	83	100	0.759	1.075 (0.773-1.496)
No Smoking	12	70.6	5	29.4	17	100		
BMI								
Obesity	10	71.4	4	28.6	14	100	0.595	-
Fat	8	66.7	4	33.3	12	100		
Normal	53	75.7	17	24.3	70	100		
Thin	4	100	0	0	4	100		
Physical Fitness								
Not Fit	58	90.6	6	9.4	64	100	<0.001	1.919 (1.347-2.735)
Fit	17	47.2	17	52.8	36	100		

After conducting partial statistical tests, to determine the ergonomic hazard control model (MSDs), simultaneous statistical tests need to be conducted. Simultaneous tests are conducted on variables with a p-value <0.25, the statistical test used is binary logistic regression. The following are candidate variables that will be tested simultaneously:

Table 5. Candidate Variables for Binary Logistic Regression Test

Variables	P-Value	Information
Noise	0.077	Candidate
Working Climate	0.002	Candidate
Vibration	1.000	Not Candidate
Lighting	0.283	Not Candidate
Working Posture	0.001	Candidate
Workload	<0.001	Candidate
Length of Work	0.216	Candidate
Age	0.562	Not Candidate
Working Period	0.292	Not Candidate
Smoking Habits	0.759	Not Candidate
BMI	0.595	Not Candidate
Physical Fitness	<0.001	Candidate

Based on table 5, it is known that the candidate variables for multiple logical regression tests are noise, working climate, working posture, workload, length of work, and physical fitness. The results of the modelling test are as follows:

Table 6. Ergonomic Hazard Control Final Models

Independent Variables	B	P-Value	OR	95% CI (Lower-Upper)	Information
Working Climate					
Above TLV		Reference			
Below TLV	1,841	0,011	6,303	1,531-25,957	Significant
Working Posture					
Awkward		Reference			
Normal	1,923	0,006	6,838	1,759-26,588	Significant
Workload					
High		Reference			
Low	1,476	0,027	4,374	1,178-16,234	Significant
Physical Fitness					
Not Fit		Reference			
Fit	2,318	0,002	10,157	2,385-43,253	Significant
Constant	-4,941	<0,001	-4,941	-	Significant

Based on table 6, the analysis shows that work climate, work posture, workload, and physical fitness simultaneously influence MSDs complaints among informal welding workers. A positive B value indicates that an increase in MSDs complaints is associated with an improved work climate, awkward work posture, high workload, and poor physical fitness. The Odds Ratio (OR) values reveal that physical fitness (OR = 10.157) is the most dominant factor affecting MSDs complaints, followed by work posture (OR = 6.838) as the second most influential variable. This suggests that workers with poor physical fitness are 10.157 times more likely to experience high MSDs complaints compared to physically fit workers. Similarly, workers with awkward work postures are 6.838 times more likely to experience high MSDs complaints compared to those with normal work postures. The priority order of ergonomic hazard control is as follows: 1) Physical fitness improvement; 2) work posture adjustment; 3) work climate management; and 4) workload reduction.

Discussion

The results of this study indicate that several factors significantly affect musculoskeletal disorders (MSDs) among welding workers in the informal industry of Greater Bandung. Work climate, work posture, workload, and physical fitness are identified as the primary factors influencing MSDs. These findings align with existing ergonomics literature, which highlights the significant impact of the interaction between workers' physical conditions and their work environment on physical health, particularly concerning complaints involving muscles, joints, and other supporting tissues.²³ Physical fitness emerged as the most dominant variable in influencing MSDs complaints, with an OR value of 10.157. This indicates that workers with low physical fitness are 10 times more likely to experience MSDs complaints compared to those with adequate physical fitness. Poor physical fitness compromises the body's ability to endure physical workloads during work activities, leading to increased muscle fatigue, stiffness, and soft tissue injuries.²⁴

Decreased physical fitness results in reduced muscle strength and endurance, causing muscles to tire more quickly during prolonged physical activities. Fatigued muscles are unable to support proper posture, leading to mechanical stress on the joints and spine, which subsequently triggers MSDs complaints. Conversely, workers with good physical fitness are better equipped to maintain proper posture and minimize excessive physical strain, thereby significantly reducing the risk of MSDs complaints.²⁵

Welding workers in Greater Bandung generally lack proper workstations, including welding tables, resulting in the welding process being carried out in awkward working postures. These awkward postures significantly contribute to the increase in MSDs complaints, with an Odds Ratio (OR) value of 6.838. Non-ergonomic working postures, such as prolonged bending or twisting of the body, lead to uneven load distribution across the body. This imbalance exerts excessive pressure on specific muscle groups, particularly in the lower back, neck, and shoulders, which are the most common areas affected by MSDs complaints.²⁶ Abnormal body positions during work impose excessive mechanical stress on soft tissues and joints, which, over time, lead to the degeneration of these structures. Poor working posture creates excessive localized stress, particularly on the lower back, one of the most vulnerable areas for MSDs injuries. The implementation of appropriate work aids and improvements in workplace design can significantly reduce hazardous working postures and minimize the risk of MSDs.²⁷

The third variable with a significant influence is workload, with an Odds Ratio (OR) value of 4.374. A high workload places excessive physical strain on the body, especially when coupled with long working hours and insufficient rest. A workload that exceeds the physical capacity of workers can lead to acute muscle injuries and increase the risk of chronic musculoskeletal tissue damage.²⁸ Physical fatigue caused by excessive workload can cause biomechanical imbalances in the body. Chronic fatigue that is not addressed has the potential to cause injury to muscle structures, ligaments, and tendons. In addition, the body's inability to recover from physical workload can accelerate the occurrence of MSDs complaints, especially if not supported by adequate physical fitness.²⁹

Work climate, with an Odds Ratio (OR) value of 6.303, was also found to have a significant effect on MSDs complaints. Non-ideal work climate conditions, such as excessively high temperatures or low humidity, can exacerbate workers' physical conditions. Extreme environmental temperatures affect physical endurance and cause increased fatigue, reducing the muscles' ability to maintain proper posture during work. When workers are exposed to high temperatures or uncomfortable environments, the body must exert extra effort to maintain homeostasis, which diminishes the muscles' capacity to function optimally. This increases the risk of MSDs complaints, especially in physically demanding jobs such as welding. Additionally, poor work climates can lead to dehydration, which reduces muscle elasticity and heightens the risk of injury.^{30,31}

Simultaneously, the four variables (physical fitness, work posture, workload, and work climate) interact and increase the risk of MSDs. When workers with low fitness work in awkward postures, with high workloads in an unsupportive work environment, the risk of MSDs increases.³² Therefore, ergonomic hazard control must consider these four variables holistically. Based on the results of the study, the main priority in ergonomic hazard control is to improve workers' physical fitness. Fitness programs designed to improve muscle endurance, strength, and flexibility can significantly reduce the risk of MSDs. Fitness training can also help workers improve their resistance to physical stress caused by work activities.

Work posture control is the second priority in the ergonomic control model. Ergonomic training, which educates workers on maintaining proper posture and using appropriate assistive devices, is essential to preventing MSDs injuries. Additionally, workplace design that adheres to ergonomic principles can help workers maintain proper posture throughout their tasks. Workload control should focus on matching the physical demands of the job with the worker's capacity. Providing adequate rest and ensuring a balanced workload can help reduce muscle fatigue caused by excessive physical exertion. Implementing more flexible work shifts can also alleviate the risk of chronic fatigue and MSDs complaints. Work climate control can be achieved by improving ventilation and regulating temperature within the workplace. The use of personal protective equipment suited to the climatic conditions can also help maintain thermal balance and reduce the risk of fatigue from extreme environmental factors. Enhancing workplace comfort will not only boost productivity but also reduce the likelihood of MSDs complaints.³²

This study is the basis for subsequent research with the theme of ergonomics, however, this study has limitations in determining the population which is limited to certain areas that are dense with welding kiosks. However, the Bandung Raya area is outside the population that we have determined. Subsequent research can conduct mapping based on kiosk maps that are evenly distributed in Greater Bandung.

Conclusion

Musculoskeletal Disorders (MSDs) complaints in informal welding workers are influenced by work climate, work posture, workload, and physical fitness. Therefore, prevention must be carried out comprehensively through four main steps. First, improving physical fitness aims to increase endurance, reduce fatigue, and strengthen muscles and joints to be more resistant to repetitive activities. Second, improving work posture is done by applying ergonomic principles, such as adjusting work positions, using assistive devices, and adjusting the height of tables or work objects to reduce pressure on the body. Third, managing the work climate includes controlling temperature, lighting, and ventilation so that the environment remains safe and comfortable, reducing heat exposure, and preventing excessive fatigue. Fourth, managing workload includes a

balanced division of tasks, providing sufficient rest time, and arranging a work schedule that is not excessive to avoid physical fatigue.

Acknowledgement

The researcher would like to thank all parties involved in this research, especially the respondents, enumerators, and research team whom I cannot mention one by one. Thank you to the Ministry of Education, Culture, Research and Technology for giving trust to fund this research.

Funding

This research was funded by Ministry of Education, Culture, Research and Technology of the Republic of Indonesia under contract number 0459/E5/PG.02.00/2024 and 002/PEN.DRTPM/UBK-DRPM/VI/2024 for Fiscal Year 2024.

Conflict of Interest

There is no conflict of interest.

Reference

1. Triatmanto B. Menggagas Percepatan Pencapaian Sustainability Development Goal's (SDG's). Malang: Penerbit Selaras Media Kreasindo; 2021.
2. Badan Pusat Statistik. Pekerja Formal dan Informal Agustus 2023. Bandung: Badan Pusat Statistik Provinsi Jawa Barat; 2023.
3. Suherdin S, Sutriyawan A, Natanegara A. Probability of Photokeratitis Complaints in Industrial Workers Informal Welding in The City of Bandung. *J Nurs Public Heal* [Internet]. 2023 May 20;11(1):145–53. <https://doi.org/10.37676/jnph.v11i1.4106>
4. Salleh KF bin, Fadzil SMM, Yusof MD. Ergonomic Risk Assessment on Welding Practical Work on Learning Process at Malaysia Polytechnic Diploma of Engineering Programme. In: 2nd Joint Conference on Green Engineering Technology & Applied Computing 2020. IOP Publishing; 2020. p. 1–7. <https://doi.org/10.1088/1757-899X/864/1/012102>
5. Suherdin, Sari TP, Kumiawati RD. Risk Factors for Cumulative Trauma Disorders (CTDs) Complaints. *World J Adv Res Rev.* 2023;18(03):046–052. <https://doi.org/https://doi.org/10.30574/wjarr.2023.18.3.1016>
6. Dzikron BM. Analisis tingkat risiko ergonomi pada pekerja Welding (Pengelasan) dengan Metode Rapid Entire Body Assessment (REBA). *Indones Sch J Med Heal Sci.* 2021;1(1):1–7. <https://doi.org/10.54402/isjmhs.v1i01.35>
7. Suherdin, Rohendi NA, Sinaga YLDY. Risk Factors of Musculoskeletal Disorders (MSDs)

- Among Production Workers in Bandung City, Indonesia. *Int J Heal Med Res.* 2023;2(11):453–9. <https://doi.org/10.58806/ijhmr.2023.v2i11n07>
8. Laksana AJ, Srisantyorini T. Analisis Risiko Musculoskeletal Disorders (MSDs) pada Operator Pengelasan (Welding) Bagian Manufaktur di PT X Tahun 2019. *AN-Nur J Kaji dan Pengemb Kesehatan Masy.* 2020;1(1):64–73. <https://doi.org/https://jurnal.umj.ac.id/index.php/AN-NUR/article/view/7134>
 9. Dwisepianto RW, Wahyuningsih AS. Keluhan Muskuloskeletal pada Pekerja Sektor Infomal. *Indones J Public Heal Nutr.* 2022;2(1):102–11. <https://doi.org/10.15294/ijphn.v2i1.51232>
 10. World Health Organization. Musculoskeletal Health [Internet]. WHO. 2022 [cited 2023 Apr 11]. <https://www.who.int/news-room/fact-sheets/detail/musculoskeletal-conditions> (accessed 2023 Apr 11)
 11. Bureau of Labor Statistics. Musculoskeletal Injuries [Internet]. BLS. 2020 [cited 2023 Apr 11]. <https://injuryfacts.nsc.org/work/safety-topics/musculoskeletal-injuries/> (accessed 2023 Apr 11)
 12. Health and Safety Executive. Musculoskeletal disorders at work – the current state of play in Britain [Internet]. HSE. 2022 [cited 2023 Apr 11]. <https://www.britsafe.org/publications/safety-management-magazine/safety-management-magazine/2022/musculoskeletal-disorders-at-work-the-current-state-of-play-in-britain/> (accessed 2023 Apr 11)
 13. Ajhara S, Novianus C, Muzakir H. Faktor –Faktor yang Berhubungan dengan Keluhan Musculoskeletal Disorders (MSDs) Pada Pekerja Bagian Sewing di PT. X Pada Tahun 2022. *J Fisioter dan Kesehat Indones.* 2022;2(2):150–62. <https://doi.org/10.31004/jkt.v5i2.30101>
 14. World Health Organization. WHO healthy workplace framework and model: background and supporting literature and practices. Geneva: WHO Press; 2010.
 15. Suherdin, Fadhila MF, Kurniawati RD. Risk factors for subjective complaints of Low Back Pain (LBP) in District X Office Workers Bandung City, Indonesia. *World J Adv Res Rev.* 2023;19(02):1467–1473. <https://doi.org/https://doi.org/10.30574/wjarr.2023.19.2.1756>
 16. Syaputra EM, Sriyanah N, Adiningsih R, Darmayanti JD, Saptadi JD, Suherdin, et al. *Keselamatan dan Kesehatan Kerja.* Bandung: Cv. Media Sains Indonesia; 2023.
 17. Gucci DODR, Nalendra MAS, Sarena PCP, Saleh Y. Hierarchical Control Planning Based on the Film “Avatar: The Way of Water” to Minimize Work Accidents Among Fishermen. *J Sist Tek Ind.* 2024;26(1):57–69. <https://doi.org/10.32734/jsti.v26i1.13571>
 18. Kementerian Ketenagakerjaan. Permenaker Nomor 5 Tahun 2018 Tentang Keselamatan dan Kesehatan Kerja Lingkungan Kerja. Jakarta, Indonesua: Kementerian Ketenagakerjaan RI;

- 2018.
19. Suherdin, Sutriyawan A, Natagerara AA. Hazard Identification and Risk Assessment of Workers in the Welding Informal Industry in Greater Bandung, Indonesia. *Himal J Community Med Public Heal.* 2022;3(5):34–48. <https://doi.org/10.47310/hjcmph.2022.v03i02.029>
 20. Nedohe K, Mpofu K, Makinde O. Assessment of Ergonomics Risk Experienced by Welding Workers in a Rail Component Manufacturing Organization. *Lect Notes Mech Eng.* 2023;FAIM 2022:227–236. https://doi.org/10.1007/978-3-031-18326-3_23
 21. Sartika D, Nurrachmah E, Sukirman DI, Mansyur M, Supartono B. Ergonomic Risk-prone Activities toward Nurses in the Intensive Care and Emergency Room. *Open Access Maced J Med Sci.* 2021;25(9):48–53. <https://doi.org/10.3889/oamjms.2021.7851>
 22. ALHazim SS, Al-Otaibi ST, Herzallah NH. Knowledge, Attitudes, and Practices Regarding Ergonomic Hazards Among Healthcare Workers in a Saudi Government Hospital. *J Multidiscip Healthc.* 2022;2022(15):1771–1778. <https://doi.org/10.2147/JMDH.S371361>
 23. Rahmawati E. Analisis Risiko Gangguan Otot Rangka Pada Pengrajin Tenun Sulam Tapis. *J Penelit Kesehat Suara Forikes.* 2024;15(1):1–6. <https://doi.org/DOI:http://dx.doi.org/10.33846/sf15101>
 24. Cheisario HA, Wahyuningsih AS. Faktor – Faktor Yang Berhubungan Dengan Terjadinya Keluhan Muskuloskeletal Disorder Pada Pekerja Di PT. X. *Indones J Public Heal Nutr.* 2022;2(3):329–38. <https://doi.org/10.15294/ijphn.v2i3.55016>
 25. Megawati E, Saputra WS, Attaqwa Y, Fauzi S. Edukasi Pengurangan Resiko Terjadinya Musculoskeletal Disorders (Msd) Dini, Ada Penjahit Keliling Di Ngaliyan Semarang. *J BUDIMAS.* 2021;3(2):450–6. <https://doi.org/10.30829/contagion.v6i2.20235>
 26. Nugraha A, Widajati N, Guan NY, Febriyanto EC, Oktavia ND. Risk Analysis of Work Posture and Body Mass Index to Musculoskeletal Disorders among Librarians at Universitas Airlangga. *Indones J Occup Saf Heal.* 2024;13(2):145–55. <https://doi.org/10.20473/ijosh.v13i2.2024.144-154>
 27. Anyelir NP, Fitri N, Jenrivo F, Riswari RM. The Relationship Between Work Posture and Work Period with Musculoskeletal Disorders (MSDs) Complaints in Nurses in the Emergency Room (IGD) at Gambiran Hospital, Kediri City. *Media Publ Promosi Kesehat Indones.* 2024;7(8):2208–14. <https://doi.org/10.56338/mppki.v7i8.5766>
 28. Nasution MN, Silaban G, Nurmaini. The Influence Of Workload And Work Attitude On Musculoskeletal Disorders In Motorcycle Workshop Workers In Indra Kasih Village, Medan City. *Int J Heal Educ Soc.* 2024;7(8):41–60. <https://doi.org/10.1234/ijhes.v7i7.342>
 29. Maulana I, Widhiarso W, Dewi GS. Analisis Pengaruh Beban Kerja terhadap Tingkat Kelelahan Pekerja Industri Rumah Tangga Keripik Tempe. *J INTECH.* 2023;9(1):33–41.

<https://doi.org/https://doi.org/10.30656/intech.v9i1.5619>

30. Mahendra SI, Syahri IM, Salmah U. The Effect of Working Posture on Musculoskeletal Disorders Complaints Moderated By Smoking Copra Workers in Tanjung Balai, Asahan Regency. *Contag Sci Period Public Heal Coast Heal*. 2024;6(2):932–43. <https://doi.org/http://dx.doi.org/10.30829/contagion.v6i2.20235>
31. Watiningsih S, Triyanta, Ani N. Hubungan Pencahayaan dan Postur Kerja serta Iklim Kerja dengan Keluhan Musculoskeletal Disorders pada Pekerja Bagian Helper di PT. Semarang Autocomp Manufacturing Indonesia (SAMI) Semarang. *J Ilmu Kesehat Masy Berk*. 2022;4(1):38–57. <https://doi.org/10.32585/jikemb.v4i1.1899>
32. Suherdin, Lolan YP, Rasyad FH. Ergonomic Oriented Working for Controlling Photokeratitis and MSD Complaints in the Informal Welding Sector. *Indones J Occup Saf Heal*. 2024;13(1):44–52. <https://doi.org/10.20473/ijosh.v13i1.2024.44-52>

ERGONOMIC HAZARD CONTROL MODELING FOR INFORMAL WELDING WORKERS IN GREATER BANDUNG: A STUDY ON MUSCULOSKELETAL DISORDERS (MSDs)

ORIGINALITY REPORT

16%

SIMILARITY INDEX

PRIMARY SOURCES

1	lettersinhighenergyphysics.com Internet	138 words — 3%
2	ejournal.fkm.unsri.ac.id Internet	76 words — 2%
3	jurnal.akbid-wirabuana.ac.id Internet	50 words — 1%
4	e-journal.unair.ac.id Internet	43 words — 1%
5	Andrew Tinsley, Steven Naymagon, Bradley Mathers, Michael Kingsley, Bruce E. Sands, Thomas A. Ullman. "Early readmission in patients hospitalized for ulcerative colitis: incidence and risk factors", <i>Scandinavian Journal of Gastroenterology</i> , 2015 Crossref	25 words — 1%
6	Nursanti, Djamalus. "Analysis of Risk Factors for Subjective Work Fatigue Levels Among Nurses at RS.Otak DR.Drs. M. Hatta Bukittinggi, West Sumatra, In 2024", <i>Jurnal Kesehatan</i> , 2024 Crossref	24 words — 1%
7	journal.stkipsingkawang.ac.id Internet	24 words — 1%

8	dohara.or.id Internet	22 words — < 1%
9	Desti Rahmayani, Henny Permatasari. "Factors Associated with Musculoskeletal Disorders in Convection Tailors", Jurnal Keperawatan Silampari, 2023 Crossref	21 words — < 1%
10	Suherdin Suherdin, Yosef Pandai Lolan, Fikran Hafizh Rasyadi. "Ergonomic Oriented Working for Controlling Photokeratitis and MSD Complaints in the Informal Welding Sector", The Indonesian Journal of Occupational Safety and Health, 2023 Crossref	19 words — < 1%
11	garuda.kemdikbud.go.id Internet	19 words — < 1%
12	midwifery.iocspublisher.org Internet	16 words — < 1%
13	www.researchgate.net Internet	16 words — < 1%
14	Boyke Elyas Michael Sambeko, Nugroho Susanto, Azir Alfanan. "Manual Handling as Contributor of Low Back Pain for Workers: A Case Study at PT Sumber Mandiri Jaya, Kabupaten Merauke", The Indonesian Journal of Occupational Safety and Health, 2023 Crossref	13 words — < 1%
15	koreascience.kr Internet	12 words — < 1%
16	www.sos.texas.gov Internet	12 words — < 1%
17	ir.unilag.edu.ng Internet	

11 words — < 1%

18 Muhammad Isradi Zainal, Andi Surayya Mappangile, Muhammad Suryo Hadi Rivai. "SAFETY AND HEATH EVALUATION OF THE GAS EXPOSURE IN THE AREA OF EFFLUENT WATER TREATMENT PLANT (ETWP) OF PT. X", PREPOTIF : Jurnal Kesehatan Masyarakat, 2022
Crossref

19 ebsina.or.id
Internet 10 words — < 1%

20 jurnal.unismuhpalu.ac.id
Internet 10 words — < 1%

21 knepublishing.com
Internet 10 words — < 1%

22 pharmacia.pensoft.net
Internet 10 words — < 1%

23 psasir.upm.edu.my
Internet 10 words — < 1%

24 Martin, Nia M.. "Comparing Nurses' Perceptions of Work Environment and Health by Ethnicity", Loma Linda University, 2025
ProQuest 9 words — < 1%

25 Yakobus Sinaga, Yosef Pandai Lolan, Jedy Lucas Atemalem Purba. "MENGEKSPLORASI PERAN PENDIDIKAN KULINER DALAM MENINGKATKAN LITERASI GIZI DAN PERILAKU MAKAN SEHAT PADA REMAJA : STUDI INTERVENSI BERBASIS SEKOLAH", PREPOTIF : JURNAL KESEHATAN MASYARAKAT, 2024
Crossref

26 ijmra.in

Internet

9 words — < 1%

27 www.e3s-conferences.org
Internet

9 words — < 1%

28 "Model Health, Safety and Work Environment Factors as Prediction of Work Motivation on Construction Projects", International Journal of Engineering and Advanced Technology, 2019
Crossref

8 words — < 1%

29 Isyeu Sriagustini, Tita Rosmiati, Subhan Fajri. "The Musculoskeletal Complaints Based on Work Position in Woven Bamboo Craftsmen", The Indonesian Journal of Occupational Safety and Health, 2023
Crossref

8 words — < 1%

30 Nefri Daika. "Correlation between Working Postures and The Complaints of Musculoskeletal Diseases of The Fishermen in Tanjung Village, Sumenep District", The Indonesian Journal of Occupational Safety and Health, 2019
Crossref

8 words — < 1%

31 Putri Ayuni Alayyannur, Shintia Yunita Arini. "Occupational Health and Safety Problems in Various Sector", The Indonesian Journal of Occupational Safety and Health, 2023
Crossref

8 words — < 1%

32 dspace.hebron.edu
Internet

8 words — < 1%

33 ejournal.uin-suska.ac.id
Internet

8 words — < 1%

34 ijmscr.ijpbms.com
Internet

8 words — < 1%

35	jurnal.unsil.ac.id Internet	8 words — < 1%
36	perpustakaan.poltekkes-malang.ac.id Internet	8 words — < 1%
37	pmc.ncbi.nlm.nih.gov Internet	8 words — < 1%
38	repository.ung.ac.id Internet	8 words — < 1%
39	Siti Rokhati, Noeroel Widajati, Endang Dwiyantri, Saliza Mohd Elias, Andi Aziz Efendi, Adinda Novia Ardhani. "Factors that cause Work Fatigue among Shipyard Workers", Folia Medica Indonesiana, 2023 Crossref	7 words — < 1%
40	eprints.utm.my Internet	7 words — < 1%
41	journal2.uad.ac.id Internet	7 words — < 1%

EXCLUDE QUOTES OFF
EXCLUDE BIBLIOGRAPHY ON

EXCLUDE SOURCES OFF
EXCLUDE MATCHES OFF